

FASTENERS

MACHINE (HEX) BOLTS



Hot Dipped Galvanized

	Diameter		
	1/2"	5/8"	3/4"
1 1/2"	99MG414		
2"	99MG420		
2 1/2"	99MG424		
3"	99MG430	99MG530	
3 1/2"	99MG434	99MG534	99MG634
4"	99MG440	99MG540	99MG640
4 1/2"	99MG444	99MG544	99MG644
5"	99MG450	99MG550	99MG650
5 1/2"	99MG454	99MG554	99MG654
6"	99MG460	99MG560	99MG660
6 1/2"	99MG464	99MG564	99MG664
7"	99MG470	99MG570	99MG670
7 1/2"	99MG474	99MG574	99MG674
8"	99MG480	99MG580	99MG680
8 1/2"	99MG484	99MG584	99MG684
10"	99MG410	99MG510	99MG610
12"	99MG412	99MG512	99MG612

Zinc Plated

	Diameter						
	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
1/2"	99M204	99M304					
3/4"	99M206	99M306	99M406				
1"	99M210	99M310	99M401				
1 1/2"	99M214	99M314	99M414	99M514			
2"	99M220	99M320	99M420	99M520	99M620		
2 1/2"	99M224	99M324	99M424	99M524	99M624	99M724	
3"	99M230	99M330	99M430	99M530	99M630	99M730	99M830
3 1/2"	99M234	99M334	99M434	99M534	99M634	99M734	99M834
4"	99M240	99M340	99M440	99M540	99M640	99M740	99M840
4 1/2"	99M244	99M344	99M444	99M544	99M644	99M744	99M844
5"		99M350	99M450	99M550	99M650	99M750	99M850
5 1/2"		99M354	99M454	99M554	99M654	99M754	99M854
6"		99M360	99M460	99M560	99M660	99M760	99M860
6 1/2"			99M464	99M564	99M664	99M764	99M864
7"			99M470	99M570	99M670	99M770	99M870
7 1/2"			99M474	99M574	99M674	99M774	99M874
8"			99M480	99M580	99M680	99M780	99M880
8 1/2"			99M484	99M584			
9"				99M590	99M690	99M790	
10"			99M410	99M510	99M610	99M710	99M810
12"			99M412	99M512	99M612	99M712	99M812

CARRIAGE BOLTS



Hot Dipped Galvanized

	Diameter		
	3/8"	1/2"	5/8"
3 1/2"	99CG334		
4"	99CG340	99CG440	
4 1/2"	99CG344	99CG444	99CG544
5"	99CG350	99CG450	99CG550
5 1/2"	99CG354	99CG454	99CG554
6"	99CG360	99CG460	99CG560
6 1/2"	99CG364		
7"	99CG370	99CG470	99CG570
8"	99CG380	99CG480	99CG580
10"			99CG510

Zinc Plated

	Diameter			
	1/4"	3/8"	1/2"	5/8"
1"	99C210	99C310		
1 1/2"	99C214	99C314	99C414	99C514
2"	99C220	99C320	99C420	99C520
2 1/2"	99C224	99C324	99C424	99C524
3"	99C230	99C330	99C430	99C530
3 1/2"	99C234	99C334	99C434	99C534
4"	99C240	99C340	99C440	99C540
4 1/2"	99C244	99C344	99C444	99C544
5"	99C250	99C350	99C450	99C550
5 1/2"	99C254	99C354	99C454	99C554
6"	99C260	99C360	99C460	99C560
6 1/2"		99C364	99C464	99C564
7"		99C370	99C470	99C570
7 1/2"		99C374		
8"		99C380	99C480	99C580
10"			99C410	99C510

FASTENERS

LAG SCREWS



Hot Dipped Galvanized

	Diameter				
	1/4"	3/8"	1/2"	5/8"	3/4"
1 1/2"	99LG214	99LG314			
2"	99LG220	99LG320	99LG420	99LG520	
2 1/2"	99LG224	99LG324	99LG424	99LG524	99LG624
3"	99LG230	99LG330	99LG430	99LG530	99LG630
3 1/2"	99LG234	99LG334	99LG434	99LG534	99LG634
4"		99LG340	99LG440	99LG540	99LG640
4 1/2"		99LG344	99LG444	99LG544	
5"		99LG350	99LG450	99LG550	99LG650
5 1/2"			99LG454	99LG554	
6"		99LG360	99LG460	99LG560	99LG660
6 1/2"			99LG464	99LG564	
7"		99LG370	99LG470	99LG570	99LG670
7 1/2"				99LG574	
8"		99LG380	99LG480	99LG580	99LG680
10"			99LG410	99LG510	99LG610
12"			99LG412	99LG512	

Zinc Plated

	Diameter				
	1/4"	3/8"	1/2"	5/8"	3/4"
1"	99L210				
1 1/2"	99L214	99L314	99L414	99L514	
1 3/4"	99L216	99L316			
2"	99L220	99L320	99L420	99L520	
2 1/2"	99L224	99L324	99L424	99L524	99L624
3"	99L230	99L330	99L430	99L530	99L630
3 1/2"	99L234	99L334	99L434	99L534	99L634
4"	99L240	99L340	99L440	99L540	99L640
4 1/2"		99L344	99L444	99L544	99L644
5"		99L350	99L450	99L550	99L650
5 1/2"			99L454	99L554	99L654
6"		99L360	99L460	99L560	99L660
6 1/2"			99L464	99L564	99L664
7"		99L370	99L470	99L570	99L670
7 1/2"			99L474	99L574	
8"		99L380	99L480	99L580	99L680
10"			99L410	99L510	99L610
12"			99L412	99L512	

HEX NUTS



Hot Dipped Galvanized	Code
3/8"	99HNG03
1/2"	99HNG04
5/8"	99HNG05
3/4"	99HNG06
7/8"	99HNG07
1"	99HNG08
1 1/8"	99HNG11
Zinc Plated	Code
1/4"	99HN02
3/8"	99HN03
1/2"	99HN04
5/8"	99HN05
3/4"	99HN06
7/8"	99HN07
1"	99HN08
1 1/8"	99HN11

WASHERS



Hot Dipped Galvanized	Code
3/8"	99HWG03
1/2"	99HWG04
5/8"	99HWG05
3/4"	99HWG06
7/8"	99HWG07
1"	99HWG08
1 1/8"	99HWG11
Zinc Plated	Code
#6	99HW00
#8	99HW01
#10	99HW01A
1/4"	99HW02
3/8"	99HW03
1/2"	99HW04
5/8"	99HW05
3/4"	99HW06
7/8"	99HW07
1"	99HW08
1 1/8"	99HW11

HDG SQUARE WASHERS

Heavy-duty, Hot Dipped Galvanized reinforcing washers.



Size	Hole Diameter	Code
2"x2"x 3/16"	1/2"	99SW22
2 1/2"x2 1/2"x 1/4"	5/8"	99SW24
3"x3"x 1/4"	3/4"	99SW30
3"x3"x 1/2"	7/8"	99SW70
3 1/2"x 3 1/2"x 3/8"	1"	99SW80

FASTENERS

MALLEABLE WASHERS



Hot Dipped Galvanized	Code
3/8"	99MW03
1/2"	99MW04
5/8"	99MW05
3/4"	99MW06

COUPLING NUTS



Zinc Plated	Code
1/2"	99HC04
5/8"	99HC05
3/4"	99HC06
7/8"	99HC07
1"	99HC08
1 1/8"	99HC11

THREADED RODS



Hot Dipped Galvanized

	Diameter					
	1/2"	5/8"	3/4"	7/8"	1"	1 1/8"
3'	99TR04G	99TR05G	99TR06G	99TR07G	99TR08G	99TR11G
10'	99TR41G	99TR51G	99TR60G			

Zinc Plated

	Diameter					
	1/2"	5/8"	3/4"	7/8"	1"	1 1/8"
3'	99TR04	99TR05	99TR06	99TR07	99TR08	99TR11
6'	99TH64	99TR65	99TR66	99TR67	99TR68	99TR61
10'	99TR41	99TR51	99TR60			

SCREW COVER CAPS

Flexible plastic screw caps give a flush finish to broad surfaces. Flexible grooved pegs with hollow core ensure a firm hold on screw races. Use finger or hammer to tap into screw head. Fits any #2 square drive or phillips drive.



Size	Qty	Code
#2 Square	EA	94BB00
#2 Phillips		

DRYWALL SCREWS, FINE THREAD

Zinc yellow*.

Original and primary application of drywall to 20–25 gauge metal studs. Also known as “all purpose” screws.



Size	Qty	Code
1"	1m/BOX	94SB10
1¼"	500/BOX	94SB12
1½"	500/BOX	94SB15
2"	200/BOX	94SB20
2½"	200/BOX	94SB24
3"	200/BOX	94SB30
3¾"	75/BOX	94SB36
4½"	50/BOX	94SB44
5"	50/BOX	94SB50
6"	50/BOX	94SB60

Size	Qty	Code
1"	10m/CASE	94SC10
1¼"	8m/CASE	94SC12
1½"	5m/CASE	94SC15
2"	3.5m/CASE	94SC20
2½"	2.5m/CASE	94SC24
3"	2m/CASE	94SC30
3¾"	500/CASE	94SC36
4½"	500/CASE	94SC44
5"	500/CASE	94SC50
6"	500/CASE	94SC60

*Gold/yellow head meets user cosmetic or rust preventive requirements.

DRYWALL SCREWS, SELF-DRILL

Bugle head - zinc plate.

Recommended for application of drywall or gyp board to 12-20 gauge metal studs.



Size	Qty	Code
1¼"	500/BOX	94VB12
1½"	500/BOX	94VB15
2¾"	200/BOX	94VB23
3"	200/BOX	94VB30

Size	Qty	Code
1¼"	8m/CASE	94VC12
1½"	5m/CASE	94VC15
2¾"	3m/CASE	94VC23
3"	2m/CASE	94VC30

FASTENERS

PARTICLE BOARD SCREWS, COARSE THREAD

Zinc yellow*.

Original and primary application of drywall to wood studs. Also used in many interior/exterior fixture fastening applications.

**Gold/yellow head meets user cosmetic or rust preventive requirements.*



Size	Qty	Code
1"	250/BOX	94PB10
1¼"	250/BOX	94PB12
1½"	250/BOX	94PB14
1⅝"	250/BOX	94PB15
2"	200/BOX	94PB20
2½"	200/BOX	94PB24
3"	200/BOX	94PB30

Size	Qty	Code
1"	10m/CASE	94PC10
1¼"	8m/CASE	94PC12
1½"	6.5m/CASE	94PC14
1⅝"	5m/CASE	94PC15
2"	3.5m/CASE	94PC20
2½"	2.5m/CASE	94PC24
3"	2m/CASE	94PC30

BUILDER SCREWS

Dacromate plating, coarse threading.

Used for any exterior fastening including decks, fences, shade structures. Not recommended for use in pressure treated wood.



Size	Qty	Code
1"	250/BOX	94BB10
1¼"	250/BOX	94BB12
1⅝"	250/BOX	94BB15
2"	200/BOX	94BB20
2½"	200/BOX	94BB24
3"	200/BOX	94BB30
3½"	75/BOX	94BB34
3¾"	75/BOX	94BB36
4"	50/BOX	94BB40
5"	50/BOX	94BB50
6"	50/BOX	94BB60

Size	Qty	Code
1"	10m/CASE	94BC10
1¼"	8m/CASE	94BC12
1⅝"	5m/CASE	94BC15
2"	3.5m/CASE	94BC20
2½"	2.5m/CASE	94BC24
3"	2m/CASE	94BC30
3½"	1m/CASE	94BC34
3¾"	1m/CASE	94BC36
4"	1m/CASE	94BC40
5"	.5m/CASE	94BC50
6"	.5m/CASE	94BC60

BUILDER SCREWS SELF-DRILL/NIBBED HEAD

Dacromate plating exterior fastening requirements. Self drill point wont split wood. Nibbed head to aid in self countersinking. Coarse thread for high holding power.



Size	Qty	Code
1 5/8"	200/BOX	94AB15
2"	200/BOX	94AB20
2 1/2"	200/BOX	94AB24
3"	200/BOX	94AB30
3 1/2"	75/BOX	94AB34

Size	Qty	Code
1 5/8"	5m/CASE	94AC15
2"	3.5m/CASE	94AC20
2 1/2"	2.5m/CASE	94AC24
3"	2m/CASE	94AC30
3 1/2"	1m/CASE	94AC34

FINISH SCREWS

Self-drilling point, won't split wood, holds tight, suitable for exterior use, rust resistant dichromate plating, small square drive head.



Size	Qty	Code
1 5/8"	500/BOX	94TB15
2 1/4"	250/BOX	94TB22
3"	250/BOX	94TB30

Size	Qty	Code
1 5/8"	5m	94TC15
2 1/4"	4m	94TC22
3"	2m	94TC30

FINISHING SCREWS, STAINLESS STEEL

Superior corrosion resistance. Ideal for fastening corner boards, mitered ends and toe nailing-type applications (pre-drilling a must near board ends).



Size	Qty	Code
1"	100/BOX	94ST10
1 5/8"		94ST15
2 1/4"		94ST22
3"		94ST30

FASTENERS

ACQ PT LUMBER SCREWS

Square Type 17 "W.A.R. Coated".

Introducing WAR coated deck screws specially coated, tested, and designed to work with the new ACQ-treated lumber.



Size	Qty	Code
6" x 1 5/8"	5m	94PTC15
6" x 2"	3.5m	94PTC20
8" x 2 1/2"	2.5m	94PTC24
8" x 3"	2m	94PTC30

Size	Qty	Code
6" x 1 5/8"	200 EA	94PTB15
6" x 2"	200 EA	94PTB20
8" x 2 1/2"	200 EA	94PTB24
8" x 3"	200 EA	94PTB30

MAZE ZINCLAD® SCREWS

Hot-dipped zinc-coated to insure dependable corrosion resistance. These case-hardened screws are hot-dipped in molten zinc to meet the specifications of producers of wood treatment chemicals. Excellent for a wide variety of outdoor uses such as decks, boat docks, steps, patios, furniture, fences, flower boxes, or any project where long-term corrosion-resistance and exceptional holding power are required. Phillips head sets flush. Use #2 Phillips driver for easiest application. For best results, screws should be driven in one continuous motion. Avoid stopping and restarting. Pre-drilling of holes is helpful but frequently not necessary.



Size	Qty	Code
2"	5850/CASE	94CC20
2 1/2"	5000/CASE	94CC24
3"	4507/CASE	94CC30

Size	Qty	Code
2"	APPX 585 EA 5#	94CB20
2 1/2"	APPX 500 EA 5#	94CB24
3"	APPX 450 EA 5#	94CB30

DECK SCREWS, STAINLESS STEEL SQUARE DRIVE

A very good fastener for wood exposed to weather and outdoor construction projects that call for superior corrosion resistance.



Size	Qty	Code
1 5/8"	EA	94SS15
1 5/8"	100PC	94SS15A
1 5/8"	CASE/6500PC	94SS15B
1 5/8"	5#/1070PC	94SS15C
2"	EA	94SS20
2"	100PC	94SS20A
2"	CASE/3500PC	94SS20B
2"	5#/592PC	94SS20C
2 1/2"	EA	94SS24
2 1/2"	100PC	94SS24A
2 1/2"	CASE/2500PC	94SS24B
2 1/2"	5#/418PC	94SS24C
3"	EA	94SS30
3"	100PC	94SS30A
3"	CASE/2000PC	94SS30B
3"	5#/340PC	94SS30C

WOOD SCREWS, FLAT HEAD PHILLIPS & ROUND HEAD SLOTTED



Style	Code
Flat Head	F94FHWS
Round Head	F94RHWS

Size	#6	#8	#10	#12
1/2"	X	X	X	X
3/4"	X	X	X	X
1"	X	X	X	X
1 1/4"	X	X	X	X
1 1/2"	X	X	X	X
2"	X	X	X	X
2 1/2"		X	X	X
3"		X	X	X
3 1/2"			X	X
4"			X	X

TAPPING SCREWS, FLAT HEAD PHILLIPS & PAN HEAD PHILLIPS ZINC PLATED



Style	Code
Pan Head	F94PHSM
Flat Head	F94FHSM

Size	#6	#8	#10
1/2"	X	X	X
3/4"	X	X	X
1"	X	X	X
1 1/4"	X	X	X
1 1/2"	X	X	X
2"	X	X	X
2 1/2"			X
3"			X

FASTENERS

PAN FRAMER SCREWS

Framing screw for 20–25GA metal stud to track, unique grip-tite, pan head. No. 2 phillips.



Size	Qty	Code
7/16"	420	94PF76

SELF-DRILL TAP HEX HEAD SCREWS

Zinc plated.



Size	#6	#8	#10	Code
1/2"	x	x	x	F94HHTS
3/4"	x	x	x	
1"	x	x	x	
1 1/4"		x	x	
1 1/2"		x	x	

CONCRETE SCREWS

Hex head and Phillips. For fastening projects into concrete.



Size	Hex	Phillips
1/4 x 1 1/4"	99SH12	99SP12
1/4 x 1 3/4"	99SH16	99SP16
1/4 x 2 1/4"	99SH22	99SP22
1/4 x 2 3/4"	99SH26	99SP26
1/4 x 3 1/4"	99SH32	99SP32
1/4 x 4"	99SH40	99SP40

CONCRETE SCREWS STAINLESS STEEL HEX HEAD

For fastening pressure treated lumber to concrete.



Size	Code
1/4 x 1 1/4"	99SSH12
1/4 x 1 3/4"	99SSH16
1/4 x 2 1/4"	99SSH22
1/4 x 2 3/4"	99SSH26
1/4 x 3 1/4"	99SSH32
1/4 x 3 3/4"	99SSH36

STAR BIT TIP



Size	For	Pkg	Code
#25 - 2"	8-10-12	2EA	DW2215
#10 - 2"	6-7	1EA	DW2215A

DUROCK SCREWS

Designed for fastening fiber cement board to wood.

Recommended for:

- Fiber cement board to wood.
- Lap siding.
- Fiber cement roofing trim.
- Flooring for tile in kitchen and bath.



Size	Qty.	Code
1¼"	100PCS	94DS12
1⅝"	100PCS	94DS15
2¼"	100PCS	94DS22

PHEINOX™ SCREWS

R4 patented stainless steel Starhead. Made of PHE hardened stainless steel. Lifetime warranty against corrosion. Self-tapping, countersunk head with W-Cut thread design and Zip-Tip.



Size	Qty.	Code
9 x 1½"	100PCS	94SP14
	5#/725PCS	94SP14A
9 x 1¾"	100PCS	94SP16
	5#/697PCS	94SP16A
9 x 2"	100PCS	94SP20
	5#/627PCS	94SP20A
10 x 2½"	100PCS	94SP24
	5#/418PCS	94SP24A
10 x 2¾"	100PCS	94SP26
	5#/348PCS	94SP26A
10 x 3⅛"	100PCS	94SP31
	5#/325PCS	94SP31A
10 x 4"	100PCS	94SP40
	5#/255PCS	94SP40A

FASTEN MASTER™ COMPOSITE WOOD DECK SCREW

Specially designed to eliminate the "mushrooming" effect caused by standard deck screws in composite deck materials.



Size	Color	Pkg	Code
2½"	Brown	5# 350EA	94ZB24A
2½"	Grey	5# 350EA	94ZG24A
2½"	Redwood	5# 350EA	94ZR24A
2½"	Brown	case 1750EA	94ZB24B
2½"	Grey	case 1750EA	94ZG24B
2½"	Redwood	case 1750EA	94ZR24B
3"	Brown	1# 75EA	94ZB30
3"	Grey	1# 75EA	94ZG30
3"	Redwood	1# 75EA	94ZR30
3"	Brown	5# 350EA	94ZB30A
3"	Grey	5# 350EA	94ZB30A
3"	Redwood	5# 350EA	94ZR30A
3"	Brown	case 1750EA	94ZB30B
3"	Grey	case 1750EA	94ZG30B
3"	Redwood	case 1750EA	94ZR30B

FASTENERS

PHILLIPS INSERT BITS



Size	Code
#2 short	DW2004
#2 long	DW2022
#3 short	DW2003
#3 long	DW2023

SQUARE DRIVES



Size	Type	Code
#1 short	Finish screws	DW2201
#1 long	Finish screws	DW2211
#2 short	Deck screws	DW2202
#2 long	Deck screws	DW2212

COMBO BITS DOUBLE ENDED BITS



Size	Code
#2 Phillips/#8 Slotted	DW2024
#2 Square/#2 Phillips	DW2214

HDG FOUNDATION BOLTS



Size	Diameter		
	1/2"	5/8"	3/4"
10"	99F410	99F510	99F610
12"		99F512	99F612
14"		99F514	99F614

WEDGE BOLT HEX HEADS

For old concrete, block, brick, and stove. Pre-assembled heavy duty anchor with a finished hex head.



Size	Diameter	
	1/2"	5/8"
2 3/4"	99S426	
3"		99S530
3 3/4"	99S436	
4"		99S540
4 3/4"	99S446	
5"		99S550
5 3/4"	99S456	
6"		99S560
8 1/2"		99S584

WEDGE ANCHORS

Heavy duty one-piece wedge anchor.



Size	Diameter				
	1/4"	3/8"	1/2"	5/8"	3/4"
1 3/4"	99R216				
2 1/4"	99R222	99R322			
2 3/4"			99R426		
3"		99R330			
3 1/4"	99R232				
3 1/2"				99R534	
3 3/4"		99R336	99R436		
4 1/4"			99R444		
4 1/2"				99R544	
5"		99R350		99R550	
5 1/2"			99R454		99R654
6"				99R560	
7"			99R470	99R570	99R670
8 1/2"				99R584	
10"				99R510	99R610
12"					99R612

E-Z ANCOR

The E-Z Ancor is faster than any toggler. It pilots and sinks itself, so you don't need to stud. No pre-drilling or hole preparation necessary. It is easily backed out. Uses standard #8 tapping (sheet metal) screw.



Size	Code
#8	HW0500

HEAVY DUTY TOGGLER

Toggler is a self-drilling toggle bolt for heavy-duty anchoring to dry wall. With a 2 1/2" x #8 washer face phillips pan head sheet metal screw.



Size	Code
#8 x 2 1/2"	HW0600

TOGGLE BOLTS



Size	Diameter		
	1/8"	3/16"	1/4"
2"	94TG12		
3"	94TG13	94TG33	94TG43
4"	94TG14	94TG34	94TG44


LAG SHIELDS



Size	Diameter	
	3/8"	1/2"
1 3/4"	99E3S0	
2"		99E4S0
2 1/2"	99E3L0	
3"		99E4L0

FASTENERS

BRADS/FINISH NAILS



16g Hitachi/Pas	Straight Pin	Code
1"		98Y100
1½"		98Y140
2"		98Y200
2½"		98Y240


18g Gal Finish	Straight Pin	Code
¾"		98ZP06
1"		98ZP10
1¼"		98ZP12
1½"		98ZP14
1¾"		98ZP16
2"		98ZP20



15g Hitachi/Senco Finish	Angled	Code
1½"		98Z140
1¾"		98Z160
2"		98Z200
2½"		98Z240

15g Hitachi/Senco Gal Finish	Angled	Code
1½"		98ZG14
1¾"		98ZG16
2"		98ZG20
2½"		98ZG24

CORDLESS PASLODE 30° FRAMER NAILS



Bright Smooth

	8d	9d	10d	16d
[5M] 2⅝" x .113"	98ZPB23			
[3M] 2½" x .113"		98ZPB24		
[3M] 3" x .131"			98ZPB30	
[2.5M] 3¼" x .131"				98ZPB31

Galvanized Smooth

	8d	9d	10d	16d
[3M] 3" x .120"			98ZPG30	


Bright Ring

	8d	9d	10d	16d
2⅝" x .113"	98ZPR23			

Galvanized Ring

	8d	9d	10d	16d
2 ⅜" x .113"	98ZPRG2			
3" x .131"			98ZPRG3	

GUN NAILS*



*Fits the following Guns:

- Hitachi – NR83A
- Makita – AN8300
- ATRO – RHS921
- Halstead – HN34
- Duofast – CN350
- Haubold – RN90P11
- Senco – SN60

Sinkers

	8d Cooler	10d Framer	16d Short
2 ³ / ₈ "x113	98W208		
3"x131		98W210	
3 ¹ / ₄ "x131			98W216

Hdg Box

	8d Cooler	10d Framer	16d Short
2 ³ / ₈ "x113	98W208G		
3"x131		98W210G	
3 ¹ / ₄ "x131			98W216G

Eg Box

	8d	10d	16d
2 ³ / ₈ "x113	98W308		
3"x131		98W310	
3 ¹ / ₄ "x131			98W316

Bright Common

	6d	8d	10d	16d
2"x113	98W107			
2 ¹ / ₂ "x131		98W108		
3"x148			98W110	
3 ¹ / ₂ "x162				98W116

Hdg Common

	8d	10d	16d
2 ¹ / ₂ "x131	98W108G		
3"x148		98W110G	
3 ¹ / ₂ "x162			98W116G

Bright Ring

	8d	10d
2 ³ / ₈ "x113	98W628	
3"x131		98W629

Hdg Ring

	8d
2 ³ / ₈ "x113	98W508

Bright Plywood

	10d
2 ¹ / ₈ "x148	98W624

Hdg Plywood

	10d
2 ³ / ₈ "x148	98W624G

Maze Ring Siding Double Molten Zinc

	6d	8d	10d
2"x113	98W706		
2 ¹ / ₂ "x113		98W708	
3x113			98W710

Maze Decking Nail Double Molten Zinc

	10d
3"x128 Ring	98W700
3"x128 Spiral	98W704

Joist Nail

1 ¹ / ₂ "x148	98W630
1 ¹ / ₂ "x148	98W630G (Hdg)

HDG Joist Nail

1 ¹ / ₂ "x148	98W630G
-------------------------------------	---------


FASTENERS

CORDLESS PASLODE FINISH NAILS



16g Finish Nail	Qty	Angled Gal	Code
1¼"	2M		98XA02
1½"	2M		98XA04
1¾"	2M		98XA06
2"	2M		98XA20
2½"	2M		98XA24

CORDLESS PASLODE BRADS



16g Brad	Qty	Straight Gal	Code
¾"	5M		98XS06
1"	5M		98XS10
1¼"	5M		98XS12
1½"	4M		98XS14
1¾"	2.5M		98XS16
2"	2.5M		98XS20
2¼"	2.5M		98XS22
2½"	2.5M		98XS24

COMMON

HDG are galvanized to resist rusting and streaking. For general construction, carpentry and framing. Bright finish are for general construction, carpentry and framing. Our most popular and versatile.



Style						Code
	6d	8d	10d	16d	20d	
HDG 5#	x	x	x	x	x	97GC00
HDG 50#	x	x	x	x		98GC00
Bright 5#	x	x	x	x		97BC00
Bright 50#	x	x	x	x		98BC00

BOX

Galvanized to resist rusting and streaking. A thinner shank than common nails reduces wood splitting.



Style							Code
	3d	4d	6d	8d	10d	16d	
HDG 5#	x	x	x	x	x	x	97GB00
HDG 50#			x	x	x	x	98GB00

FINISH

Galvanized to resist rusting and streaking, giving a smooth appearance to finish carpentry and trim. Bright finish are small in diameter with cupped heads to allow countersinking below wood surface for later fitting.



Style					Code
	4d	6d	8d	16d	
HDG 5#	x	x	x	x	97GF00
Bright 5#	x	x	x	x	97BF00

MAZE CASING NAILS



Style					Code
	4d	6d	8d	16d	
5#			x		97MC8D
				x	97MC16D

VINYL SINKER

The vinyl coating lubricates wood, holds fast in framing. Easy driving for sturdy, permanent construction.



Size			Code
	8d	16d	
5#	x	x	97VS00
50#	x	x	98VS00

BRIGHT DUPLEX/SCAFFOLD

Double headed nail driven into wood up to the lower head. The second head remains exposed to allow easy pulling.



Size			Code
	8d	16d	
5#	x	x	97BD00
50#	x	x	98BD00

JOIST

A heavy gauge nail suitable for supporting metal connection for wood construction.



Style	1 1/2"		Code
Galvanized 5#/9GA	x		97GJ00
Galvanized 50#/9GA	x		98GJ00
Bright 1#/9GA	x		96JH09
Bright 1#/11GA	x		96JH11
Bright 50#/9GA	x		98JH00

MAZE SPLITLESS SIDING

Double molten zinc plating, specially designed for split-prone woods. Special blunt point virtually eliminates splits.



Size					Code
	6d	8d	10d	16d	
5#	x	x	x	x	97MSPL

MAZE HARDBOARD (BOX)

Double molten zinc plating. Sturdy shank drives easily. Checkered head enhances paint adhesion.



Size				Code
	6d	8d	10d	
5#	x	x	x	97MHRD

FASTENERS

MAZE SPIRAL DECKING NAIL

Double molten zinc for pressure treated lumber. Producers of wood treating chemicals recommend that hot dipped zinc coated nails be used. Spiral shank holds tight.



Size		Code
5#	12d x	97MDEK

STAINLESS SPIRAL DECKING

Rust proof. Spiral grooved shank like a screw prevents backing out.



Size				Code
5#	8d x	10d x	16d x	97SD00

STAINLESS SIDING RING SHANK

Rust proof. For greater holding power.



Size						Code	
5#	3d x	4d x	6d x	8d x	10d x	16d x	97SS00

CONCRETE

For attaching wood to concrete.



Size		Code
5#	2 1/2" x	97CN24

DRITITE CUP HEAD

For attaching drywall to wood framing.



Size		Code
5#	1 5/8" x	97DT00
50#	x	98DT00

GALVANIZED ROOFING

Wide head aids holding and reduces pull through. For asphalt shingles, roofing felt or insulation board.



Size		Code
5#	1½" x	97RF00

MAZE ROOFING

- Double hot-dip / galvanized.
- Recommended and approved for James-Hardie building products.



Size	Length	Code
5#	2"	97RF20

CC RINGSHANK

Cement coated and ringed for greater holding power. For plywood sheathing and plywood underlayment.



Size		Code
5#	2" x	97RS00

MAZE PLASTIC-HED YELLOW CAP NAILS

- Eliminates damage to roofing felts, housewraps and foam insulation
- Angular ring holds tight



Size	PCS	Code
1"	200 pcs	97PH01
1¼"	200 pcs	97PH02
1½"	300 pcs	97PH04

Size	PCS	Code
1¼"	3000 pcs	98PH01
1¼"	3000 pcs	98PH02
1½"	2000 pcs	98PH04

FASTENERS

FURRING STUCCO NAIL



Size	Length	Code
5#	1½"	97SN14

WIRE BRADS



Size	Length	Code
2oz	¾"	95WB06
	1"	95WB10
	1¼"	95WB12

POWDER ACTUATED STANDARD PINS

Zinc plated.

SP Series. Special hardened steel fasteners.



Size	Code	
	100EA	25EA
½"	ZX1000	ZX2000
¾"	ZX1001	ZX2001
1"	ZX1002	ZX2002
1¼"	ZX1003	ZX2003
1½"	ZX1004	ZX2004
2"	ZX1005	ZX2005
2½"	ZX1006	ZX2006
3"	ZX1007	ZX2007

POWDER ACTUATED PIN AND WASHER ASSEMBLY

Pre-assembled washer and pin. Adds holding power when standard pin may pull through. Recommended for attaching soft or easily torn materials to wood or steel.



Size	Code	
	100EA	25EA
¾"	ZX1008	ZX2008
1"	ZX1009	ZX2009
1¼"	ZX1010	ZX2010
1½"	ZX1011	ZX2011
2"	ZX1012	ZX2012
2½"	ZX1013	ZX2013
3"	ZX1014	ZX2014

POWER LOADS

.22 calibre load for low velocity powder actuated tools.



Color	Load	Code	
		100EA	25EA
Grey	Light	ZX1015	ZX2015
Brown	Medium	ZX1016	ZX2016
Green	Strong	ZX1017	ZX2017
Yellow	Heavy	ZX1018	ZX2018

10 Strip

Green	ZX1019
Yellow	ZX1020
Red	ZX1021