

# WOOD COATINGS/FINISHES/SEALERS

## COPPERNATE "250" WOOD PRESERVATIVE

A heavy duty water-repellent wood preservative.

Active Ingredients: \*Copper Naphthenate -20%, Petroleum Solvents -75%, Inert Ingredients -5%.

To prevent deterioration caused by termites, powder post beetles, fungus, rot, and decay. Controls warping and swelling, and is paintable. Recommended for window frames, doors, stairs, porches, posts, siding, shingles, trellises, steps, subflooring, outdoor furniture, fence pickets, fence rails, furring strips arbors, flooring, and beverage cases. Also for use on fence posts, poles, foundations, sills, decks, boats, and all wood exposed to moisture or weather.



Coppernate 250™ can be used to treat wood for greenhouses, i.e. nursery flats, etc. In addition to preventing decay, blue stain, and insect attack on wood. This preservative controls warping, swelling, shrinking, and end checking caused by changes in moisture content of lumber

and plywood products. Powder post beetles which invade furniture, flooring and structural lumber are controlled by application of this preservative. These insects will not attack the treated wood. Wood to be protected against subterranean termites should be treated before use in construction.

Estimate 150 to 200sq/FT per gallon for brush coat or 5 to 10 gallons per 1000 board feet for dipping dimensional lumber.

\*Copper computed as elemental 2%

Size	Code
1GAL	93GRN1
5GAL	93GRN5

## GREEN'S CLEAR WOOD PRESERVATIVE

Use wherever wood meets water and soil. Prevents deterioration caused by:

- Termites
- Fungus
- Rot
- Decay

- Colorless, heavy duty, and water repellent.
- Controls warping and swelling.
- Seals wood.
- Kills termites and wood eating insects.



Size	Code
1GAL	93CLR1

## COPPER-GREEN® WOOD PRESERVATIVE

In easy convenient spray cans. Easy to use on pressure treated end cuts. Great for contractors to carry in carpenters' pouch or tool box. No messy brushes or rags to clean-up. Spray can is powered by compressed air. Product in a spray pouch with no formula change.



Size	Code
13.5oz spray	93GRN3

## PENOFIN ULTRA PREMIUM

- Transparent exterior finish formulated to safe guard the natural beauty of wood.
- Resists stains and retards the bleeding of nails.
- VOC compliant.



Size	Color	Qty	Code
1GAL	Transparent Cedar	EA	93PNC1

## STATION 1 ANTI-FLAME FIRE RETARDANT WOOD COATING #2075W

Revolution in home protection.

Los Angeles, CA - Culver City based Station 1 Anti-Flame, Inc. has introduced a new product which will revolutionize home protection against fire and termites. Developed in Scandinavia as an anti-termite solution. Station 1 Anti-Flame was soon discovered to also prevent the spread of fire. This dual purpose preventative solution is environmentally friendly, colorless, and UL classified. Station 1 Anti-Flame may be used on shake shingle roofs, wooden decks, building frames and exteriors, and surrounding landscape.

For wood applications, Station 1 Anti-Flame is applied with a specially pressured spray gun which allows the compound to impregnate the wood. Station 1 Anti-Flame



contains specialized compounds which, when heated to the appropriate temperature, will activate and remove the oxygen supply. Once the product dries, the surface is resistant to flame.

Termites and other wood-destroying insects can be eliminated by utilizing Station 1 Anti-Flame on all types of wood framing, wallboard and home exteriors. Insects are repelled when they come in contact with the anti-termite liquid. Station 1 Anti-Flame is guaranteed to prevent termites for up to ten years.

Size

5GAL

Code

93FIR5

## FLAMESTOP - II FIRE RETARDANT FOR OUTDOOR APPLICATIONS

Ideal for architectural projects.

- Specially formulated for outdoor application such as cedar shake roofs, shingles, siding, and any exterior wood product. Useful for various types of fabrics such as awnings, canvas, costumes, gyproc paper, thatching, stage props, hay barriers, welders clothing, and other porous cellulosic material.
- Weatherproofs the treated material, as well makes gyproc paper repel water. Tends to bring out the natural beauty of the wood surface.
- Meets NFPA 255, NFPA 701, UL723, and UBC 42-1 Standards and passed ASTM-E84 testing. It is a Class A rating with a Flame Spread 25, with one to two applications depending on the moisture content of wood.
- White in appearance but dries clear, easy to apply, water-based, non-toxic, non-carcinogenic and is applied with sprayer, roller, or brush.
- Exterior products will maintain their applied integrity and flame retardant effectiveness for an average of 5 years; in some cases, a minimum of 10 years.
- Contains polymers and surfactants that allow it not only to penetrate a wood surface, but also creates a weather-tight adhesion bond.
- Has additives that seal in the fire retarding chemicals.
- Drying time is 24 hours.
- Also a wood preservative.



Size

1GAL

Code

93FLAM

# WOOD COATINGS/FINISHES/SEALERS

## WOLMANIZE® END CUT

A brush on preservative especially formulated for end coating of freshly sawn ends of pressure treated "outdoor" wood.



Size	Code
1GAL	93ECSI
1QT	93ECSQ

## CABOT® CLEAR SOLUTION TRANSLUCENT TONES

Introducing five, wood-inspired translucent tones that enhance the natural beauty of all exterior wood surfaces. Protects against UV and water damage and resists mildew. Made for the purist. For use on siding, decks and shingles.



Size	Color	Qty.	Code
1GAL	Clear Solution	EA	93C9100
	Cedar Translucent		93C9102
	Weathered Gray		93C9103
	Heartwood		93C9104
	Pacific Heartwood		93C9105
5GAL	Clear Solution		93C9100
	Pacific Heartwood		93C9105

## CABOT® WATER BASED CLEAR SOLUTION

Water-based Clear Solution is for use on new or reconditioned wood only, including siding, shingles, shakes, decks, fences, roofs, and log homes. Water-based Clear Solution provides outstanding results on all natural wood species such as cedar, redwood, fir, pine, and cypress, including pressure-treated wood, plywood and texture 1-11.



Size	Color	Qty.	Code
1GAL	Clear	EA	93C3060
	Cedar		93C3062
	Redwood		93C3065

## CABOT® WATER PROOFING WITH TEFLON

- Advanced technology for advanced results.
- Unique silicone emulsion
- Water based
- VOC free
- For wood: penetrates into pores, last longer than wax and excellent for decks.
- For brick: seals the surface and is simple to apply.
- For concrete: reduces efflorence and protects against freeze/thaw cycles.



Size	Qty.	Code
1GAL	EA	93C1000
5GAL	EA	93C1000

# WOOD COATINGS/FINISHES/SEALERS

## CABOT® PROBLEM-SOLVER WOOD CLEANER, BRIGHTENER & STRIPPER

The cleaner removes mildew, mold, algae and dirt. The brightener removes tannin bleed and metal rust stains. It restores that rich "new wood" look. The stripper removes oil-based finishes from wood surfaces.



Cleaner	Qty.	Code
1 GAL	EA	93C8002

Brightener	Qty.	Code
1 GAL	EA	93C8003

Stripper	Qty.	Code
1 GAL	EA	93C8004

## CABOT® PROBLEM SOLVER PRIMER

Provides superior resistance to tannin bleed, mildew and moisture. Ideal base coat for Cabot O.V.T.® Solid Color Stains or Cabot Finish. The secret to enduring beauty. (In oil and 100% acrylic formulations.)



Size	Color	Qty.	Code
1 GAL	White Oil Primer	EA	93C8311
	White Acrylic Primer		93C8022

## CABOT® DECKING STAINS

Add beauty. Add years. Deep-penetrating alkyd resin base provides a tough, scuff-resistant finish and longer-lasting protection. Water repellent and mildew resistant. Extend the life of your deck. For use on decks, fences, patio furniture, steps and railings. 30 colors.



### Style

7400 Series

PLEASE ASK FOR OUR COLOR CARD.

## CABOT® SOLID COLOR DECKING STAIN WITH TEFLON® SURFACE PROTECTOR

State-of-the-art coating for all wood decking, outdoor furniture and fencing, cement patios and walkways. Long lasting, water repellent, mildew resistant. Resists scuffing and erosion, and has unsurpassed washability. Protect now. Enjoy the beauty of outdoor living.



### Style

1800 Series

PLEASE ASK FOR OUR COLOR CARD.

# WOOD COATINGS/FINISHES/SEALERS

## CABOT® OVT SOLID COLOR ACRYLIC STAINS IN UNLIMITED CUSTOM COLORS

Our computer can match any color sample! 100% Acrylic formulation provides beautiful coverage like paint, but performs and protects like no other stain. 12-year guarantee to not crack, blister or peel when applied to new wood. Water repellent, mildew resistant. The most beautiful results on earth.



Size \_\_\_\_\_

0600 Series

PLEASE ASK FOR OUR COLOR CARD.

## CABOT® SEMI-TRANSPARENT STAINS

Enhances natural wood grain by blending deep-penetrating oil with delicate pigments. Water repellent and mildew resistant. It won't crack, blister or peel. To wood, it's the fountain of youth.



Size \_\_\_\_\_

Series \_\_\_\_\_

Code \_\_\_\_\_

1 GAL

6300

PLEASE ASK FOR OUR COLOR CARD.

## CABOT® SEMI-SOLID STAINS

One coat does the job of two semi-transparent coats. A uniquely formulated, richly colored oil-based stain that provides longer-lasting protection. For a very smart look.



Size \_\_\_\_\_

Color \_\_\_\_\_

Qty \_\_\_\_\_

Code \_\_\_\_\_

1 GAL

White

EA

93C6101

1 GAL

New Cedar

93C6116

1 GAL

New Redwood

93C6117

1 GAL

Sequoia

93C6125

1 GAL

Red Cedar

93C6133

1 GAL

Drift Gray

93C6144

1 GAL

Dune Gray

93C6167

1 GAL

Redwood

93C6180

1 GAL

Desert Sand

93C6192

OTHER COLORS AVAILABLE

## CABOT® OVT SOLID COLOR OIL STAINS

Provides beautiful coverage like paint, but performs and protects like no other stain. Resists cracking, peeling and blistering. Water repellent and mildew resistant. Hide the years.



Size \_\_\_\_\_

6500 Series

PLEASE ASK FOR OUR COLOR CARD.

# WOOD COATINGS/FINISHES/SEALERS

## CABOT® BLEACHING OIL™

Accelerates the natural weathering process and turns uncoated exterior wood to a beautiful consistent driftwood gray color in months. Go gray without aging.



Size	Qty.	Code
1 GAL	EA	93C6241

## CABOT® AUSTRALIAN TIMBER OIL

For hardwood decks and outdoor furniture.

- Retains depth of color.
- Keeps wood structure intact.
- No flaking or peeling.
- No grain erosion.
- No graying.



Size	Color	Code
1 GAL	Amber	93C9457
1 GAL	Honey	93C9458
1 GAL	Flame	93C9459
1 GAL	Natural	93C9400

## CABOT® FINISH

Finally there's a finish that is as durable as it is a 100% acrylic, low-luster finish for application to virtually any new or previously painted surface—with minimal surface prep. 15-year guarantee on new wood. For use on exterior trim and siding, including wood, primed metal and stucco. 67 colors.



Style
1700 Series

PLEASE ASK FOR OUR COLOR CARD.

## WOLMANS® PUMP SPRAYER

Fast, easy way to apply cleaners, preservatives and many semi-transparent stains. Features a mineral spirit-resistant hose, translucent poly so user can see liquid level, exclusive Pic-A-Pattern™ dual nozzle system with two fan pattern nozzles—different nozzle flow rates accommodate the widest range of materials and make sprayer more versatile.




Size	Qty	Code
1 1/2 GAL	EA	ZPUMP

# WOOD COATINGS/FINISHES/SEALERS

## SIKKENS CETOL® SRD CALIFORNIA

An easy-to-use, translucent, water-repellent, exterior stain wooden siding, roofs, decks, railings, and deck furniture. Its alkyd resin stabilizes the wood grain and builds a durable UV resistant barrier. The Cetol SRD California protective barrier permits the wood to breathe and accommodates seasonal shifts in temperature without losing adhesion to the wood surface.



Size	Color	Qty	Code
1GAL	Natural Oak	EA	93S0051
1GAL	California Redwood	EA	93S0541
1GAL	Natural	EA	93S0781
1GAL	Teak	EA	93S0851
1GAL	Red Wood	EA	93S0891
1GAL	Natural Light	EA	93S0961

### Horizontal Surfaces

- One coat of Cetol SRD California, which produces a matte finish, may be used on decks (including hardwood decks) and docks.
- Three coats of Cetol SRD California, which produces a satin finish, is recommended only for hardwoods used in decks, railings and deck furniture.


### Vertical Surfaces

- One coat of Cetol SRD California, which produces a matte finish, is suitable for siding, fences, roof shakes, shingle, and garden furniture.
- Three coats of Cetol SRD California, which produces a long-lasting, satin finish, is suitable for siding, doors, windows, fences, and garden furniture.

## SIKKENS CETOL® INTERIOR STAIN

Cetol Interior Stain is a full-bodied waterborne wiping stain in a wide variety of natural shades and decorative colors that feature finely ground pigments for unsurpassed color clarity and rich, uniform staining results.

Nothing adds a feeling of warmth and quality to your home's interior quite like fine wood. Whether it's new oak paneling, old hardwood rich with patina of age or refinished furniture whose natural splendor had been hidden beneath layers of paint—fine wood adds the look of elegance and luxury to your home. It takes special care to reveal the true beauty of wood. Sikkens custom line of interior wood care products will enhance and protect that beauty from the ravages of time.



Size	Color	Qty	Code
1QT	Natural Oak	EA	93S804
1QT	Walnut	EA	93S810
1QT	Burgundy	EA	93S823
1QT	Opal White	EA	93S830
1QT	Cherry	EA	93S844
1QT	Mahogany	EA	93S845
1QT	Hunter Green	EA	93S861
1QT	Butter Nut	EA	93S872
1QT	Ipswich Pine	EA	93S874
1QT	Natural	EA	93S878
1QT	Teak	EA	93S885

### Cetol Interior Stain Advantages:


- Finely ground pigments provide exceptional color clarity and uniform staining results.
- Excellent workability—wipes on without splattering, drips, or brush marks.
- Dries quickly and cleans up easily.

### Cetol Interior Stain Can Be Used On:

- Cabinets and Furniture
- Doors
- Window Frames
- Bathroom Woodwork
- Trim and Baseboards
- Kitchen Woodwork
- Stairs and Banisters

## SIKKENS CETOL® INTERIOR CLEAR

A solventborne transparent coating that gives a durable finish to all interior woodwork, it enhances the natural beauty of the wood grain with a hard-wearing and scratch-resistant topcoat. Cetol Interior is available in 2 gloss levels—Low Luster and Satin.



Size	Gloss Level	Qty	Code
1QT	Satin	EA	93S7700

# WOOD COATINGS/FINISHES/SEALERS

## SIKKENS CETOL® BL INTERIOR CLEAR

A clear waterborne coating for a durable finish on all interior woodwork. It enhances the natural beauty of the wood grain with a durable-wearing and scratch-resistant finish. A quick-drying, low odor formulation that provides easy clean up, Cetol BL is available in 3 gloss levels—Low Luster, Satin, and Gloss



Size	Finish	Qty	Code
1QT	Low Luster	EA	93S7400
1QT	Satin	EA	93S7500
1QT	Gloss	EA	93S7600

**Type:** Transparent

**Sheen:** Low-luster, satin, gloss

**Description:** Waterborne transparent finish for interior woodwork.

**Usage:** Doors, trim, molding, windows, cabinets, ceilings, walls, logs, furniture, etc.

**Features:** Water-clear finish, quick drying, washable, non-yellowing

**Technology:** Acrylic urethane

## SIKKENS CETOL® UV INTERIOR

A waterborne formula for interior woods where a clear matte finish is desired. Ideally suited for light colored wood surfaces such as pine, it contains a special UV inhibitor to retard the yellowing effects of ultraviolet rays. Resistant to daily wear-and-tear and can be applied on log walls and in saunas. For use on bare wood only.



Size	Qty	Code
1QT	EA	93S7100
1GAL	EA	93S7200

**Type:** Transparent

**Sheen:** Matte

**Description:** Waterborne transparent finish for interior woodwork made for light-colored woods or when a matte finish is desired.

**Usage:** Ceilings, walls, logs, saunas

**Features:** Non-yellowing, washable, quick, drying

**Technology:** Acrylic

## SIKKENS CETOL® MARINE SATIN FINISH

**Description:**

- Enhances and protects the natural beauty of interior and exterior wood.
- Semi-transparent finish, prevents weathering and repels water.
- Easy to use, just wash wood thoroughly and apply.
- Three coats are recommended for the first application.
- Follow with annual touch-ups.



Size	Qty	Code
1QT	EA	93S7800

## SIKKENS CETOL® WOOD CONDITIONER


Cetol Wood Conditioner provides a beautiful finish in a waterborne formula that pre-conditions and seals wood, while ensuring a more uniform finish on large areas such as walls, doors, and floors.

**Type:** Special usage

**Sheen:** No sheen

**Description**

Waterborne conditioner for softwoods that allows for a more even application of Cetol Interior Stain.



Size	Qty	Code
1QT	EA	93S8200
1GAL	EA	93S8201

**Usage**

Doors, trims, moldings, windows, cabinets, walls, furniture, banisters, stairs, etc.

**Features**

Quick drying, minimizes blotching of stain application.

**Technology:** Waterborne

# WOOD COATINGS/FINISHES/SEALERS

## PERMA-WHITE/MILDEW-PROOF INTERIOR WALL & TRIM PAINT

Although PERMA-WHITE is formulated for the special conditions in bathrooms, it is also ideal for kitchens, basements, closets, laundry rooms, hot tub rooms, locker rooms. PERMA-WHITE is recommended for these high-use areas in schools, hospitals, hotels, nursing homes, and restaurants.



**Walls and ceilings** - recommended for new and previously

painted drywall, plaster, paneling, and ceramic tile. May be applied directly to non-porous wallcovering. Scrubbable, stain-resistant finish.

**Trim, doors, cabinets, woodwork** - Self-priming, high-adhesion formula is excellent for new and previously painted doors and trim. Bonds tightly to glossy enamels and varnishes, ensuring a professional-looking paint job.

Size	Code
1GAL	93W2711

### Best interior latex paint for mildew-prone areas

- GUARANTEED mildew-proof for 5 years.
- Available in Satin & Semi-Gloss Finishes.
- Self-Priming, high-adhesion formula —bonds to glossy surfaces without sanding, unlike other paints.
- Dries fast, recoat in just 2 hours.
- Easy to apply with brush, roller or sprayer.
- May be tinted to any pastel or medium shade.
- Great for bathrooms, kitchens, laundry rooms, closets, and basements—any area that is susceptible to mildew growth.
- Cleans up easily with soap and water.

## HIGH HIDE COVER STAIN® PRIMER SEALER/BOND COAT

High Hide Cover Stain is a high-performance, all-surface **oil-base** primer-sealer that offers outstanding adhesion and stain killing power and dries to recoat in 2 hours. High Hide Cover Stain may be tinted toward the color of the finish coat to help the topcoat hide in one coat.



High Hide Cover Stain offers excellent flexibility and penetration making it ideal for exterior application to wood siding and trim. It seals surfaces with one coat offering excellent hold-out for enamels of any sheen.

- Interior and exterior
- Sticks to all surfaces without sanding
- Use for fire, smoke & water damage
- Blocks cedar & redwood bleed
- Fast drying - recoat in 2 hours

Size	Code
1GAL	93PRM3

**Uses** - For interior and exterior walls, ceilings, doors, trim, paneling, siding, window frames and shutters - any surface where a high-hiding, high-adhesion primer is desired. This all-surface low-VOC primer-sealer can be used over or under any oil or latex architectural paint and is ideal for water damage, fire damage and smoke damaged (including nicotine) surfaces. Meets stringent SCAQMD Air Quality Standards for Specialty Primers, Sealers and Undercoaters.

## BULLS EYE 1-2-3®/PRIMER-SEALER STAIN-KILLER/BOND COAT

**Interior** - Recommended for priming interior wall and ceiling. Seals porous drywall, plaster, wood and flat paint so finish coat goes on smooth and dries evenly. Great for trim, doors, woodwork, cabinets, etc. Stick to glossy enamels and other hard to paint surfaces without sanding or deglossing.



**Exterior** - Top rated **water-based primer for exterior siding** including wood, masonry, vinyl and aluminum siding, as well as fascia, soffets, trim, windows, shutters, and doors.

**Wallcovering** - Bulls Eye1-2-3 also provides an excellent surface for most types of wallpaper. If future strip ability is desired, use SHIELDZ® Universal Pre-Wallcovering Primer & Sealer

Size	Code
1GAL	93PRM2

**Blocking Stains** - Blocks stains caused by marker, ball-point pen, crayon, lipstick, graffiti, grease and oil, etc.

**Tinting** - For better topcoat coverage, tint primer to approximate color of topcoat paint by adding up to 2 oz. universal colorant per gallon. For dark color priming use Bulls Eye 1-2-3 DEEP TINT, which can be tinted to darker colors by adding up to 6 oz. of colorant per gallon.

**Topcoat Finishes** - Finish with oil-base architectural topcoat paint.

## B-I-N® PRIMER-SEALER STAIN-KILLER/BOND COAT

B-I-N adheres tenaciously to all dense, smooth and slick surfaces such as: dense hardboard, chipboard, glass, Formica®, ceramic tile, PVC & metal pipes, radiators, grillwork, fire doors, and galvanized ductwork. No sanding, etching or deglossing agents are needed to get a firm bond. B-I-N provides an "anchor" for the top coat so it can't be chipped or scraped off easily.



Size	Code
1GAL	93W0901

- Absolutely the best interior wood sealer.
- Seals knots and sap streaks inside and out.
- Seals pet, smoke and musty odors.
- Seals water, smoke, graffiti and grease stains.
- Sticks to all surfaces without sanding.
- Lightening fast dry - recoat in 45 minutes.

# WOOD COATINGS/FINISHES/SEALERS

## MARKING PAINT

- Use these inverted marking paints to deliver professional applications in construction, survey, athletic fields, and location identification.
- Safe on turf grass and fields of play.



Size	Color	Code
17oz	Florescent Orange	93PS222
17oz	Florescent Green	93PS224
17oz	Florescent Yellow	93PS226
17oz	Red/Orange	93PS230

## ZINSSER SPRAY PRIMER

- Covers stains.
- Primer sealer.
- Stain killing bondcoat.
- Dries in 30 minutes.



Size	Color	Code
13oz	Flat White	93PRM4

## PAINT THINNER

- Clean air solvent.
- General purpose thinner.
- 100% mineral spirits.
- VOC content 6.5 lbs/gal.



Size	Code
1GAL	93PTIG
1qt	93PTIQ

## LITE-N-UP WOOD BLEACH WOOD KOTE

- Used to lighten the natural color of wood.
- Easy to use, one step two part kit.
- Self neutralizes, requires no rinsing.



Size	Code
1qt	93W0083

# WOOD COATINGS/FINISHES/SEALERS

## JEL'D POLY-KOTE/WOOD KOTE

- Just wipe it on.
- Use on interior wood surfaces.
- Apply with a soft cloth.
- No steel wool or sanding between coats.
- No drips, runs, spills, or mess.
- Satin finish.



Size	Code
1QT	93W2160

## JEL'D STAINS/WOOD KOTE

- The original jelled wood stain.
- Premium quality interior stain.
- Perfect for doors, floors, cabinets, railings, moldings, and crafts.



Size	Color	Code
1QT	Light Oak	93W2013
1QT	Brown Mahogany	93W2023
1QT	Butter Nut	93W2033
1QT	Cherry	93W2043
1QT	Fruitwood	93W2063
1QT	Golden Oak	93W2073
1QT	Red Mahogany	93W2093
1QT	Black	93W2113
1QT	Walnut	93W2133
1QT	White	93W2143
1QT	Gray	93W2153

## FORSITE MOLD & MILDEW RESISTANCE COATING

- Available in clear or blue pigment to monitor coverage area.
- High coverage - up to 1600 sf./gal.
- 10 year limited warranty.
- EPA/FDA compliant silver additive.
- Water based formula.
- Use any sprayer, roller or brush.
- Dries quickly within an hour.



Size	Color	Code
1GAL	Clear	93E4000
5GAL	Clear	93E4001
SPRAY	Clear	93E4002
1GAL	Blue	93E4500
5GAL	Blue	93E4501

ForSite is formulated as an easy to use permanent coating that provides long-term, residual protection against water intrusion, excessive moisture and mold and mildew growth on its surface. ForSite is ideal for new construction, remodeling or repair projects to prevent future mold growth on its surface as well as to protect porous and semi-porous construction surfaces from moisture damage. It can also be used in building remediation to restore the integrity of aged or water damaged materials.

## MOLDEX MOLD INHIBITOR

Multi-purpose household cleaner designed as an industrial cleaner for water damage restoration. Moldex is also approved for use as a hospital grade disinfectant and has been specifically formulated as a fungicide and mildewstat. Moldex is based on a proven quaternary ammonium blend and packaged in a ready to use form.

- No bleach or rinse.
- Unscented.
- Can be painted over.



Size	Code
1QT PUMP SPRAY	93E5000
1GAL	93E5001

# WOOD COATINGS/FINISHES/SEALERS

## URETHANE CLEAR FINISH

- Maple counter top refinisher.
- Fast drying, clear synthetic oil.
- Moisture and alcohol resistant.



Size	Qty	Code
16oz	EA	6FMCLR

## SUPER DI-ALL MILDEW SOLUTION

Just add Super Di-All to your paints for fast, easy mildew protection. A liquid mildewcide, not a paste. It doesn't change color, gloss or durability. For use with all types of paint. 1oz per gallon.



Size	Qty	Code
1oz	EA	93C1600

## SEASONITE™

Stabilizes and protects pressure-treated wood from weathering. Ideal for new, pressure-treated decks and patio lumber. Can be applied before or after lumber is installed. Provides a slow, steady seasoning process to reduce warping, cupping and swelling. Provides a sound surface for painting, staining or finishing. Produces a film that resists mildew. Economical and easy to apply with brush, roller or sprayer.



Size	Qty	Code
1GAL	EA	93FSE1
5GAL		93FSE5

## DEFTOIL® MARINE TEAKWOOD FINISH

Protects exterior woods above the waterline from the effects of rain and sun. Hardens in the wood, not on the wood. Penetrates deep into wood pores to create the rich, warm glow of a hand-rubbed finish. Can't chip, peel or wear away. For use on bare teak, mahogany, and other exotic woods.



Size	Qty	Code
1qt	EA	93DEFTQ
1GAL	EA	93DEFTG